


Kedjetransmissioner


Kedjehjul

För klämbussningar


06B 3/8"




Figur 1 och 2




Figur 4 och 5



Figur 6



Figur 7 och 8



Figur 9

06B 3/8"

Simplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3051
16	1008	1	45	22	20	48,82	58	8	-0102
17	1008	1	45	22	20	51,84	61	8	-0177
18	1008	1	45	22	20	54,85	64	8	-0243
19	1008	1	47	22	20	57,85	67	8	-0318
20	1008	1	50	22	20	60,89	70	8	-0383
21	1008	1	50	22	20	63,91	73	8	-0458
22	1008	1	60	22	20	66,93	76	8	-0524
23	1210	1	60	25	23	69,95	79	8	-0599
24	1210	1	60	25	23	72,97	82	8	-0664
25	1210	1	60	25	23	76,02	86	8	-0730
26	1210	1	60	25	23	79,02	88	8	-0805
27	1210	1	60	25	23	82,02	91	8	-0870
28	1210	1	60	25	23	85,07	94	8	-0946
29	1210	1	60	25	23	88,09	97	8	-1019
30	1210	1	60	25	23	91,12	100	8	-1084
31	1210	1	60	25	23	94,15	103	8	-1159
32	1210	1	60	25	23	97,17	106	8	-1225
33	1210	1	60	25	23	100,20	109	8	-1290
34	1210	1	60	25	23	103,23	112	8	-1365
35	1210	1	60	25	23	106,26	115	8	-1431
36	1210	1	60	25	23	109,20	118	8	-1506
37	1210	1	60	25	23	112,32	121	8	-1571
38	1210	1	60	25	23	115,35	124	8	-1647
39	1210	1	63	25	23	118,37	127	8	-1712
40	1210	1	63	25	23	121,40	130	8	-1787
42	1210	2	63	25	23	127,46	136	8	-1852
45	1210	2	63	25	23	136,55	145	8	-1928
46	1210	2	63	25	23	139,58	149	8	-1993
48	1210	2	63	25	23	145,64	155	8	-2066
50	1210	2	63	25	23	151,69	161	8	-2132
54	1210	2	63	25	23	163,82	173	8	-2207
57	1210	2	63	25	23	172,91	182	8	-2272
60	1210	2	63	25	23	181,99	191	8	-2348
65	1210	2	63	25	23	197,15	206	8	-2413
70	1210	2	63	25	23	212,30	221	8	-2488
76	1210	2	63	25	23	230,49	240	8	-2553
80	1210	2	63	25	23	242,61	252	8	-2629
95	1210	2	63	25	23	288,08	297	8	-2694
114	1610	2	63	25	23	345,68	355	8	-2769

Duplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3051
16	1008	4	41	22	14,3	48,82	58	8	-3114
17	1008	4	41	22	14,3	51,84	61	8	-3189
18	1008	4	41	22	14,3	54,85	64	8	-3254
19	1008	4	47	22	14,3	57,85	67	8	-3320
20	1008	4	50	22	14,3	60,89	70	8	-3395
21	1008	4	50	22	14,3	63,91	73	8	-3460
22	1210	4	60	25	17,3	66,93	76	8	-3536
23	1210	4	60	25	17,3	69,95	79	8	-3601
24	1210	4	60	25	17,3	72,97	82	8	-3676
25	1210	4	63	25	17,3	76,02	86	8	-3742
26	1210	4	63	25	17,3	79,02	88	8	-3817
27	1210	4	63	25	17,3	82,02	91	8	-3882
28	1210	4	63	25	17,3	85,07	94	8	-3957
29	1210	4	63	25	17,3	88,09	97	8	-4021
30	1210	4	63	25	17,3	91,12	100	8	-4096
31	1210	4	63	25	17,3	94,15	103	8	-4161
32	1210	4	63	25	17,3	97,17	106	8	-4237
33	1210	4	63	25	17,3	100,20	109	8	-4302
34	1210	4	63	25	17,3	103,23	112	8	-4377
35	1210	4	63	25	17,3	106,26	115	8	-4443
36	1210	4	63	25	17,3	109,20	118	8	-4518
37	1210	4	63	25	17,3	112,32	121	8	-4583
38	1610	4	75	25	17,3	115,35	124	8	-4658
39	1610	4	75	25	17,3	118,37	127	8	-4724
40	1610	4	75	25	17,3	121,40	130	8	-4799

Fortsättning nästa sida.


Kedjehjul För klämbussningar 06B 3/8"




Figur 1 och 2




Figur 4 och 5



Figur 6



Figur 7 och 8



Figur 9

Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3051
42	1610	5	75	25	17,3	127,46	136	8	-4864
45	1610	5	75	25	17,3	136,55	145	8	-4930
46	1610	5	75	25	17,3	139,58	149	8	-5002
48	1610	5	75	25	17,3	145,64	155	8	-5077
50	1610	5	75	25	17,3	151,69	161	8	-5143
54	1610	5	75	25	17,3	163,82	173	8	-5218
57	1610	5	75	25	17,3	172,91	182	8	-5283
60	1610	5	75	25	17,3	181,99	191	8	-5358
65	1610	5	75	25	17,3	197,15	206	8	-5424
70	1610	5	75	25	17,3	212,30	221	8	-5499
76	1610	5	75	25	17,3	230,49	240	8	-5564
80	1610	5	75	25	17,3	242,61	252	8	-5630
95	1610	5	75	25	17,3	288,08	297	8	-5705
114	2012	5	75	32	17,3	345,68	355	8	-5770

Triplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3051
16	1008	9	-	22	12,8	48,82	58	8	-5846
17	1008	9	-	22	12,8	51,84	61	8	-5911
18	1108	9	-	22	12,8	54,85	64	8	-5986
19	1108	9	-	22	12,8	57,85	67	8	-6059
20	1108	9	-	22	12,8	60,89	70	8	-6125
21	1108	9	-	22	12,8	63,91	73	8	-6190
22	1210	9	-	25	12,8	66,93	76	8	-6265
23	1210	9	-	25	12,8	69,95	79	8	-6331
24	1210	9	-	25	12,8	72,97	82	8	-6406
25	1210	9	-	25	12,8	76,02	86	8	-6471
26	1210	9	-	25	12,8	79,02	88	8	-6547
27	1210	9	-	25	12,8	82,02	91	8	-6612
28	1210	9	-	25	12,8	85,07	94	8	-6687
29	1210	9	-	25	12,8	88,09	97	8	-6752
30	1610	9	-	25	12,8	91,12	100	8	-6828
31	1610	9	-	25	12,8	94,15	103	8	-6893
32	1610	9	-	25	12,8	97,17	106	8	-6968
33	1610	9	-	25	12,8	100,20	109	8	-7032
34	1610	9	-	25	12,8	103,23	112	8	-7107
35	1610	9	-	25	12,8	106,26	115	8	-7172
36	1610	9	-	25	12,8	109,20	118	8	-7248
37	1610	9	-	25	12,8	112,32	121	8	-7313
38	1610	9	-	25	12,8	115,35	124	8	-7388
39	1610	9	-	25	12,8	118,37	127	8	-7453
40	1610	9	-	25	12,8	121,40	130	8	-7529
42	1610	8	-	25	12,8	127,46	136	8	-7594
45	1610	8	-	25	12,8	136,55	145	8	-7669
46	1610	8	-	25	12,8	139,58	149	8	-7735
48	1610	8	-	25	12,8	145,64	155	8	-7800
50	1610	8	-	25	12,8	151,69	161	8	-7875
54	1610	8	-	25	12,8	163,82	173	8	-7941
57	1610	8	-	25	12,8	172,91	182	8	-8014
60	1610	8	-	25	12,8	181,99	191	8	-8089
65	1610	8	-	25	12,8	197,15	206	8	-8154
70	1610	8	-	25	12,8	212,30	221	8	-8220
76	1610	8	-	25	12,8	230,49	240	8	-8295
80	1610	8	-	25	12,8	242,61	252	8	-8360
95	1610	8	-	25	12,8	288,08	297	8	-8436
114	2012	8	-	32	12,8	345,68	355	8	-8501

Kedjetransmissioner


Kedjehjul

För klämbussningar


08B 1/2"




Figur 1 och 2




Figur 4 och 5



Figur 6



Figur 7 och 8



Figur 9

08B 1/2"

Simplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3052
15	1008	1	46	22	19	61,09	73	9	-0101
16	1108	1	50	22	19	65,10	77	9	-0176
17	1210	1	60	25	22	69,11	81	9	-0242
18	1210	1	60	25	22	73,14	85	9	-0317
19	1210	1	63	25	22	77,16	89	9	-0382
20	1210	1	63	25	22	81,19	93	9	-0457
21	1610	1	71	25	22	85,22	98	9	-0523
22	1610	1	71	25	22	89,24	102	9	-0598
23	1610	1	76	25	22	93,27	106	9	-0663
24	1610	1	76	25	22	97,29	110	9	-0739
25	1610	1	76	25	22	101,33	114	9	-0804
26	1610	1	76	25	22	105,36	118	9	-0879
27	1610	1	76	25	22	109,40	122	9	-0945
28	1610	1	76	25	22	113,42	126	9	-1018
29	1610	1	76	25	22	117,46	130	9	-1083
30	2012	1	90	32	29	121,50	134	9	-1158
31	2012	1	90	32	29	125,54	138	9	-1224
32	2012	1	90	32	29	129,56	142	9	-1299
33	2012	1	90	32	29	133,60	146	9	-1364
34	2012	1	90	32	29	137,64	150	9	-1430
35	2012	1	90	32	29	141,68	154	9	-1505
36	2012	1	90	32	29	145,72	158	9	-1570
37	2012	1	90	32	29	149,76	162	9	-1646
38	2012	1	90	32	29	153,80	166	9	-1711
40	2012	1	90	32	29	161,87	174	9	-1786
42	2517	2	110	45	41,5	169,95	182	9	-1851
45	2517	2	110	45	41,5	182,07	195	9	-1927
46	2517	2	110	45	41,5	186,10	199	9	-1992
48	2517	2	110	45	41,5	194,18	207	9	-2065
50	2517	2	110	45	41,5	202,26	215	9	-2131
54	2517	2	110	45	41,5	218,43	231	9	-2206
57	2517	2	110	45	41,5	230,54	243	9	-2271
60	2517	2	110	45	41,5	242,66	255	9	-2347
65	2517	2	110	45	41,5	262,82	275	9	-2412
70	2517	2	110	45	41,5	283,07	296	9	-2487
76	2517	2	110	45	41,5	307,33	320	9	-2552
80	2517	2	110	45	41,5	323,48	336	9	-2628
95	2517	2	110	45	41,5	384,11	397	9	-2693
114	2517	2	110	45	41,5	460,90	473	9	-2768

Duplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3052
15	1008	4	48	22	11,5	61,09	73	9	-3113
16	1008	4	50	22	11,5	65,10	77	9	-3188
17	1210	4	56	25	14,5	69,11	81	9	-3253
18	1210	4	56	25	14,5	73,14	85	9	-3329
19	1210	4	64	25	14,5	77,16	89	9	-3394
20	1210	4	64	25	14,5	81,19	93	9	-3469
21	1610	4	71	25	14,5	85,22	98	9	-3535
22	1610	4	71	25	14,5	89,24	102	9	-3600
23	1610	4	79	25	14,5	93,27	106	9	-3675
24	1610	4	79	25	14,5	97,29	110	9	-3741
25	2012	4	87	32	21,5	101,33	114	9	-3816
26	2012	4	87	32	21,5	105,36	118	9	-3881
27	2012	4	87	32	21,5	109,40	122	9	-3956
28	2012	4	87	32	21,5	113,42	126	9	-4020
29	2012	4	87	32	21,5	117,46	130	9	-4095
30	2012	4	87	32	21,5	121,50	134	9	-4160
31	2012	4	90	32	21,5	125,54	138	9	-4236
32	2012	4	90	32	21,5	129,56	142	9	-4301
33	2012	4	90	32	21,5	133,60	146	9	-4376
34	2012	4	90	32	21,5	137,64	150	9	-4442
35	2012	4	90	32	21,5	141,68	154	9	-4517
36	2012	4	90	32	21,5	145,72	158	9	-4582
37	2012	4	90	32	21,5	149,76	162	9	-4657
38	2012	4	90	32	21,5	153,80	166	9	-4723
40	2012	4	90	32	21,5	161,87	174	9	-4798

Fortsättning nästa sida.


Kedjehjul För klämbussningar 08B 1/2"




Figur 1 och 2




Figur 4 och 5



Figur 6



Figur 7 och 8



Figur 9

Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3052
42	2517	5	110	45	34,5	169,95	182	9	-4863
45	2517	5	110	45	34,5	182,07	195	9	-4939
46	2517	5	110	45	34,5	186,10	199	9	-5001
48	2517	5	110	45	34,5	194,18	207	9	-5076
50	2517	5	110	45	34,5	202,26	215	9	-5142
54	2517	5	110	45	34,5	218,43	231	9	-5217
57	2517	4	110	45	34,5	230,54	243	9	-5282
60	2517	5	110	45	34,5	242,66	255	9	-5357
65	2517	5	110	45	34,5	262,82	275	9	-5423
70	2517	5	110	45	34,5	283,07	296	9	-5498
76	2517	5	110	45	34,5	307,33	320	9	-5563
80	2517	5	110	45	34,5	323,48	336	9	-5639
95	2517	5	110	45	34,5	384,11	397	9	-5704
114	2517	5	110	45	34,5	460,90	473	9	-5779

Triplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3052
15	1008	9	-	22	17,4	61,09	73	9	-5845
16	1008	9	-	22	17,4	65,10	77	9	-5910
17	1210	9	-	25	17,4	69,11	81	9	-5985
18	1210	9	-	25	17,4	73,14	85	9	-6058
19	1210	9	-	25	17,4	77,16	89	9	-6124
20	1210	9	-	25	17,4	81,19	93	9	-6199
21	1610	9	-	25	17,4	85,22	98	9	-6264
22	1610	9	-	25	17,4	89,24	102	9	-6330
23	1610	9	-	25	17,4	93,27	106	9	-6405
24	1610	9	-	25	17,4	97,29	110	9	-6470
25	2012	6	87	32	17,4	101,33	114	9	-6546
26	2012	6	87	32	17,4	105,36	118	9	-6611
27	2012	6	90	32	17,4	109,40	122	9	-6686
28	2012	6	90	32	17,4	113,42	126	9	-6751
29	2012	6	90	32	17,4	117,46	130	9	-6827
30	2012	6	90	32	17,4	121,50	134	9	-6892
31	2012	6	90	32	17,4	125,54	138	9	-6967
32	2012	6	90	32	17,4	129,56	142	9	-7031
33	2012	6	90	32	17,4	133,60	146	9	-7106
34	2012	6	90	32	17,4	137,64	150	9	-7171
35	2517	7	110	45	17,4	141,68	154	9	-7247
36	2517	7	110	45	17,4	145,72	158	9	-7312
37	2517	7	110	45	17,4	149,76	162	9	-7387
38	2517	7	110	45	17,4	153,80	166	9	-7452
40	3020	8	130	51	17,4	161,87	174	9	-7528
42	3020	8	130	51	17,4	169,95	182	9	-7593
45	3020	8	130	51	17,4	182,07	195	9	-7668
46	3020	8	130	51	17,4	186,10	199	9	-7734
48	3020	8	130	51	17,4	194,18	207	9	-7809
50	3020	8	130	51	17,4	202,26	215	9	-7874
54	3020	8	130	51	17,4	218,43	231	9	-7940
57	3020	8	130	51	17,4	230,54	243	9	-8013
60	3020	8	130	51	17,4	242,66	255	9	-8088
65	3020	8	130	51	17,4	262,82	275	9	-8153
70	3020	8	130	51	17,4	283,07	296	9	-8229
76	3020	8	130	51	17,4	307,33	320	9	-8294
80	3020	8	160	51	17,4	323,48	336	9	-8369
95	3020	8	160	51	17,4	384,11	397	9	-8435
114	3020	8	160	51	17,4	460,90	473	9	-8500

Kedjetransmissioner


Kedjehjul

För klämbussningar


10B 5/8"




Figur 1 och 2




Figur 3




Figur 4 och 5



Figur 6



Figur 7 och 8



Figur 9

10B 5/8"

Simplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3053
13	1008	1	46	22	17,5	66,32	82	10	-0100
14	1108	1	53	22	17,5	71,34	87	10	-0175
15	1210	1	63	25	20,5	76,36	92	10	-0241
16	1210	1	63	25	20,5	81,37	97	10	-0316
17	1610	1	71	25	20,5	86,38	102	10	-0381
18	1610	1	71	25	20,5	91,42	107	10	-0456
19	1610	1	76	25	20,5	96,45	112	10	-0522
20	1610	1	76	25	20,5	101,49	117	10	-0597
21	1610	1	76	25	20,5	106,52	122	10	-0662
22	1610	1	76	25	20,5	111,55	127	10	-0738
23	1610	1	76	25	20,5	116,58	132	10	-0803
24	1610	1	76	25	20,5	121,62	137	10	-0878
25	2012	1	90	32	27,5	126,66	142	10	-0944
26	2012	1	90	32	27,5	131,70	147	10	-1017
27	2012	1	90	32	27,5	136,76	152	10	-1082
28	2012	1	90	32	27,5	141,78	157	10	-1157
29	2012	1	90	32	27,5	146,83	162	10	-1223
30	2012	1	90	32	27,5	151,87	167	10	-1298
31	2012	1	90	32	27,5	156,92	172	10	-1363
32	2012	1	90	32	27,5	161,95	177	10	-1439
33	2012	1	90	32	27,5	167,00	182	10	-1504
34	2012	1	90	32	27,5	172,05	187	10	-1579
35	2517	2	110	45	39,5	177,10	192	10	-1645
36	2517	2	110	45	39,5	182,15	197	10	-1710
37	2517	2	110	45	39,5	187,20	203	10	-1785
38	2517	2	110	45	39,5	192,24	208	10	-1850
40	2517	2	110	45	39,5	202,34	218	10	-1926
42	2517	2	110	45	39,5	212,45	228	10	-1991
45	2517	2	110	45	39,5	227,58	243	10	-2064
46	2517	2	110	45	39,5	232,63	248	10	-2130
48	2517	2	110	45	39,5	242,73	258	10	-2205
50	2517	2	110	45	39,5	252,82	268	10	-2270
54	3020	2	130	51	46,5	273,03	288	10	-2346
57	3020	2	130	51	46,5	288,18	303	10	-2411
60	3020	2	130	51	46,5	303,32	319	10	-2486
65	3020	2	130	51	46,5	328,58	344	10	-2551
70	3020	2	130	51	46,5	353,84	369	10	-2627
76	3020	2	130	51	46,5	384,16	399	10	-2692
95	3020	2	130	51	46,5	480,14	495	10	-2767
114	3020	2	130	51	46,5	576,13	591	10	-2833

Duplex

Beteckning	Form Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3053
D058013T	13	1108	3	-	22	12,7	61,09	73	9	-3187
D058014T	14	1108	3	-	22	12,7	65,10	77	9	-3252
D058015T	15	1210	3	-	25	12,7	69,11	81	9	-3328
D058016T	16	1210	3	-	25	12,7	73,14	85	9	-3393
D058017T	17	1610	3	-	25	12,7	77,16	89	9	-3468
D058018T	18	1610	3	-	25	12,7	81,19	93	9	-3534
D058019T	19	1610	3	-	25	12,7	85,22	98	9	-3609
D058020T	20	1610	3	-	25	12,7	89,24	102	9	-3674
D058021T	21	1610	3	-	25	12,7	93,27	106	9	-3740
D058022T	22	1610	3	-	25	12,7	97,29	110	9	-3815
D058023T	23	1610	3	-	25	12,7	101,33	114	9	-3880
D058024T	24	1610	3	-	25	12,7	105,36	118	9	-3955
D058025T	25	2012	4	90	32	19,3	109,40	122	9	-4029
D058026T	26	2012	4	90	32	19,3	113,42	126	9	-4094
D058027T	27	2012	4	90	32	19,3	117,46	130	9	-4169
D058028T	28	2012	4	90	32	19,3	121,50	134	9	-4235
D058029T	29	2012	4	90	32	19,3	125,54	138	9	-4300
D058030T	30	2012	4	90	32	19,3	129,56	142	9	-4375
D058031T	31	2517	5	110	45	32,3	133,60	146	9	-4441
D058032T	32	2517	5	110	45	32,3	137,64	150	9	-4516
D058033T	33	2517	5	110	45	32,3	141,68	154	9	-4581
D058034T	34	2517	5	110	45	32,3	145,72	158	9	-4656
D058035T	35	2517	5	110	45	32,3	149,76	162	9	-4722
D058036T	36	2517	5	110	45	32,3	153,80	166	9	-4797

Fortsättning nästa sida.

Kedjehjul För klämbussningar 10B 5/8"



Figur 1 och 2

Figur 3

Figur 4 och 5

Figur 6

Figur 7 och 8

Figur 9

Beteckning	Form Z	Buss-ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3053
D058037T	37	2517	5	110	45	32,3	161,87	174	9	-4862
D058038T	38	2517	5	110	45	32,3	169,95	182	9	-4938
D058040T	40	2517	5	110	45	32,3	182,07	195	9	-5000
D058042T	42	2517	5	110	45	32,3	186,10	199	9	-5075
D058045T	45	2517	5	110	45	32,3	194,18	207	9	-5141
D058046T	46	3020	5	130	51	38,3	202,26	215	9	-5216
D058048T	48	3020	5	130	51	38,3	218,43	231	9	-5281
D058050T	50	3020	5	130	51	38,3	230,54	243	9	-5356
D058054T	54	3020	5	130	51	38,3	242,66	255	9	-5422
D058057T	57	3020	5	130	51	38,3	262,82	275	9	-5497
D058060T	60	3020	5	130	51	38,3	283,07	296	9	-5562
D058065T	65	3020	5	130	51	38,3	307,33	320	9	-5638
D058070T	70	3020	5	130	51	38,3	323,48	336	9	-5703
D058076T	76	3020	5	130	51	38,3	384,11	397	9	-5778
D058095T	95	3020	5	130	51	38,3	460,90	473	9	-5844
D058114T	114	3020	5	130	51	38,3	460,90	473	9	-5919

Triplex


Beteckning	Form Z	Buss-ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3053
T058013T	13	1108	9	-	22	21	66,32	82	10	-5984
T058014T	14	1108	9	-	22	21	71,34	87	10	-6057
T058015T	15	1210	9	-	25	21	76,36	92	10	-6123
T058016T	16	1210	9	-	25	21	81,37	97	10	-6198
T058017T	17	1610	6	71	25	21	86,38	102	10	-6263
T058018T	18	1610	6	71	25	21	91,42	107	10	-6339
T058019T	19	1610	6	71	25	21	96,45	112	10	-6404
T058020T	20	1610	6	71	25	21	101,49	117	10	-6479
T058021T	21	1610	6	71	25	21	106,52	122	10	-6545
T058022T	22	1610	6	71	25	21	111,55	127	10	-6610
T058023T	23	1610	6	71	25	21	116,58	132	10	-6685
T058024T	24	2012	6	90	32	21	121,62	137	10	-6750
T058025T	25	2012	6	90	32	21	126,66	142	10	-6826
T058026T	26	2012	6	90	32	21	131,70	147	10	-6891
T058027T	27	2012	6	90	32	21	136,76	152	10	-6966
T058028T	28	2012	6	90	32	21	141,78	157	10	-7030
T058029T	29	2012	6	90	32	21	146,83	162	10	-7105
T058030T	30	2517	8	110	45	21	151,87	167	10	-7170
T058031T	31	2517	8	110	45	21	156,92	172	10	-7246
T058032T	32	2517	8	110	45	21	161,95	177	10	-7311
T058033T	33	2517	8	110	45	21	167,00	182	10	-7386
T058034T	34	2517	8	110	45	21	172,05	187	10	-7451
T058035T	35	2517	8	110	45	21	177,10	192	10	-7527
T058036T	36	2517	8	110	45	21	182,15	197	10	-7592
T058037T	37	2517	8	110	45	21	187,20	203	10	-7667
T058038T	38	2517	8	110	45	21	192,24	208	10	-7733
T058040T	40	2517	8	110	45	21	202,34	218	10	-7808
T058042T	42	2517	8	110	45	21	212,45	228	10	-7873
T058045T	45	2517	8	110	45	21	227,58	243	10	-7949
T058046T	46	3030	8	130	76	21	232,63	248	10	-8012
T058048T	48	3030	8	130	76	21	242,73	258	10	-8087
T058050T	50	3030	8	130	76	21	252,82	268	10	-8152
T058054T	54	3030	8	130	76	21	273,03	288	10	-8228
T058057T	57	3030	8	130	76	21	288,18	303	10	-8293
T058060T	60	3030	8	130	76	21	303,32	319	10	-8368
T058065T	65	3030	8	130	76	21	328,58	344	10	-8434
T058070T	70	3030	8	130	76	21	353,84	369	10	-8509
T058076T	76	3030	8	130	76	21	384,16	399	10	-8574
T058095T	95	3030	8	130	76	21	480,14	495	10	-8640
T058114T	114	3030	8	130	76	21	576,13	591	10	-8715

Kedjetransmissioner


Kedjehjul

För klämbussningar


12B 3/4"




Figur 1 och 2




Figur 3




Figur 4 och 5



Figur 6



Figur 7 och 8



Figur 9

12B 3/4"

Simplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3054
13	1210	1	63	25	19,5	79,69	97	11	-0109
14	1210	1	63	25	19,5	85,61	103	11	-0174
15	1610	1	71	25	19,5	91,63	109	11	-0240
16	1610	1	71	25	19,5	97,65	115	11	-0315
17	1610	1	76	25	19,5	103,67	121	11	-0380
18	1610	1	76	25	19,5	109,71	127	11	-0455
19	2012	1	90	32	27	115,75	133	11	-0521
20	2012	1	90	32	27	121,78	139	11	-0596
21	2517	1	108	45	38,5	127,82	145	11	-0661
22	2517	1	108	45	38,5	133,86	151	11	-0737
23	2517	1	110	45	38,5	139,90	157	11	-0802
24	2517	1	110	45	38,5	145,94	163	11	-0877
25	2517	1	110	45	38,5	152,00	169	11	-0943
26	2517	1	110	45	38,5	158,04	175	11	-1016
27	2517	1	110	45	38,5	164,09	181	11	-1081
28	2517	1	110	45	38,5	170,13	187	11	-1156
29	2517	1	110	45	38,5	176,19	193	11	-1222
30	2517	1	110	45	38,5	182,25	199	11	-1297
31	2517	2	110	45	38,5	188,31	205	11	-1362
32	2517	2	110	45	38,5	194,36	211	11	-1438
33	2517	2	110	45	38,5	200,40	217	11	-1503
34	2517	2	110	45	38,5	206,46	223	11	-1578
35	2517	2	110	45	38,5	212,52	230	11	-1644
36	2517	2	110	45	38,5	218,58	236	11	-1719
37	2517	2	110	45	38,5	224,64	242	11	-1784
38	3020	2	130	51	45,5	230,69	248	11	-1859
40	3020	2	130	51	45,5	242,81	260	11	-1925
42	3020	2	130	51	45,5	254,93	272	11	-1990
45	3020	2	130	51	45,5	273,10	290	11	-2063
46	3020	2	130	51	45,5	279,16	296	11	-2139
48	3020	2	130	51	45,5	291,27	308	11	-2204
50	3020	2	130	51	45,5	303,39	320	11	-2279
54	3020	2	130	51	45,5	327,64	345	11	-2345
57	3020	2	130	51	45,5	345,81	363	11	-2410
60	3020	2	130	51	45,5	363,99	381	11	-2485
65	3020	2	130	51	45,5	394,29	411	11	-2550
70	3020	2	130	51	45,5	424,60	442	11	-2626
76	3020	2	130	51	45,5	460,99	478	11	-2691
95	3020	2	130	51	45,5	576,17	594	11	-2766
114	3020	2	130	51	45,5	691,36	708	11	-2832

Duplex

Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3054
13	1215	4	60	38	23	79,69	97	11	-3327
14	1215	4	60	38	23	85,61	103	11	-3392
15	1615	4	72	38	23	91,63	109	11	-3467
16	1615	4	72	38	23	97,65	115	11	-3533
17	1615	4	80	38	23	103,67	121	11	-3608
18	1615	4	80	38	23	109,71	127	11	-3673
19	2012	4	90	32	17	115,75	133	11	-3749
20	2012	4	90	32	17	121,78	139	11	-3814
21	2517	4	108	45	29	127,82	145	11	-3889
22	2517	4	108	45	29	133,86	151	11	-3954
23	2517	4	110	45	29	139,90	157	11	-4028
24	2517	4	110	45	29	145,94	163	11	-4093
25	2517	4	110	45	29	152,00	169	11	-4168
26	2517	4	110	45	29	158,04	175	11	-4234
27	2517	4	110	45	29	164,09	181	11	-4309
28	2517	4	110	45	29	170,13	187	11	-4374
29	2517	4	110	45	29	176,19	193	11	-4440
30	2517	4	110	45	29	182,25	199	11	-4515
31	3020	5	130	51	36	188,31	205	11	-4580
32	3020	5	130	51	36	194,36	211	11	-4655
33	3020	5	130	51	36	200,40	217	11	-4721
34	3020	5	130	51	36	206,46	223	11	-4796
35	3020	5	130	51	36	212,52	230	11	-4861
36	3020	5	130	51	36	218,58	236	11	-4937

Fortsättning nästa sida.

Kedjehjul För klämbussningar 12B 3/4"



Figur 1 och 2

Figur 3

Figur 4 och 5

Figur 6

Figur 7 och 8

Figur 9

Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3054
37	3020	5	130	51	36	224,64	242	11	-5009
38	3020	5	130	51	36	230,69	248	11	-5074
40	3020	5	130	51	36	242,81	260	11	-5140
42	3020	5	130	51	36	254,93	272	11	-5215
45	3020	5	130	51	36	273,10	290	11	-5280
46	3020	5	130	51	36	279,16	296	11	-5355
48	3020	5	130	51	36	291,27	308	11	-5421
50	3020	5	130	51	36	303,39	320	11	-5496
54	3020	5	130	51	36	327,64	345	11	-5561
57	3020	5	130	51	36	345,81	363	11	-5637
60	3020	5	130	51	36	363,99	381	11	-5702
65	3020	5	130	51	36	394,29	411	11	-5777
70	3020	5	130	51	36	424,60	442	11	-5843
76	3020	5	130	51	36	460,99	478	11	-5918
95	3020	5	130	51	36	576,17	594	11	-5983
114	3020	5	130	51	36	691,36	708	11	-6056

Triplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3054
13	1215	9	-	38	24,9	79,69	97	11	-6403
14	1215	9	-	38	24,9	85,61	103	11	-6478
15	1615	9	-	38	24,9	91,63	109	11	-6544
16	1615	9	-	38	24,9	97,65	115	11	-6619
17	2012	9	-	32	24,9	103,67	121	11	-6684
18	2012	9	-	32	24,9	109,71	127	11	-6759
19	2012	9	-	32	24,9	115,75	133	11	-6825
20	2012	9	-	32	24,9	121,78	139	11	-6890
21	2517	9	-	45	24,9	127,82	145	11	-6965
22	2517	9	-	45	24,9	133,86	151	11	-7039
23	2517	9	-	45	24,9	139,90	157	11	-7104
24	2517	9	-	45	24,9	145,94	163	11	-7179
25	2517	9	-	45	24,9	152,00	169	11	-7245
26	2517	9	-	45	24,9	158,04	175	11	-7310
27	3020	7	130	51	24,9	164,09	181	11	-7385
28	3020	7	130	51	24,9	170,13	187	11	-7450
29	3020	8	130	51	24,9	176,19	193	11	-7526
30	3020	8	130	51	24,9	182,25	199	11	-7591
31	3030	8	130	76	24,9	188,31	205	11	-7666
32	3030	8	130	76	24,9	194,36	211	11	-7732
33	3030	8	130	76	24,9	200,40	217	11	-7807
34	3030	8	130	76	24,9	206,46	223	11	-7872
35	3030	8	130	76	24,9	212,52	230	11	-7948
36	3030	8	130	76	24,9	218,58	236	11	-8011
37	3030	8	130	76	24,9	224,64	242	11	-8086
38	3020	8	130	76	24,9	230,69	248	11	-8151
40	3030	8	130	76	24,9	242,81	260	11	-8227
42	3030	8	130	76	24,9	254,93	272	11	-8292
45	3030	8	130	76	24,9	273,10	290	11	-8367
46	3030	8	130	76	24,9	279,16	296	11	-8433
48	3030	8	130	76	24,9	291,27	308	11	-8508
50	3030	8	130	76	24,9	303,39	320	11	-8573
54	3030	8	130	76	24,9	327,64	345	11	-8649
57	3030	8	130	76	24,9	345,81	363	11	-8714
60	3030	8	130	76	24,9	363,99	381	11	-8789
65	3030	8	130	76	24,9	394,29	411	11	-8854
70	3030	8	130	76	24,9	424,60	442	11	-8920
76	3030	8	130	76	24,9	460,99	478	11	-8995
95	3030	8	130	76	24,9	576,17	594	11	-9068
114	3030	8	130	76	24,9	691,36	708	11	-9134

Kedjetransmissioner


Kedjehjul

För klämbussningar


16B 1"




Figur 1 och 2




Figur 3




Figur 4 och 5



Figur 6



Figur 7 och 8



Figur 9

16B 1"

Simplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3055
13	1615	1	73	38	30	106,12	128	17	-0108
14	1615	1	73	38	30	114,15	136	17	-0173
15	1615	1	76	38	30	122,17	144	17	-0249
16	1615	1	76	38	30	130,20	152	17	-0314
17	2012	1	90	32	24	138,22	160	17	-0389
18	2012	1	90	32	24	146,28	168	17	-0454
19	2517	1	110	45	36	154,33	176	17	-0520
20	2517	1	110	45	36	162,38	184	17	-0595
21	2517	1	110	45	36	170,43	192	17	-0660
22	2517	1	110	45	36	178,48	200	17	-0736
23	2517	1	110	45	36	186,53	209	17	-0801
24	2517	1	110	45	36	194,59	217	17	-0876
25	2517	2	110	45	36	202,66	225	17	-0942
26	2517	2	110	45	36	210,72	233	17	-1015
27	2517	2	110	45	36	218,79	241	17	-1080
28	2517	2	110	45	36	226,85	249	17	-1155
29	2517	2	110	45	36	234,92	257	17	-1221
30	3020	2	130	51	43	243,00	265	17	-1296
31	3020	2	130	51	43	251,08	273	17	-1361
32	3020	2	130	51	43	259,13	281	17	-1437
33	3020	2	130	51	43	267,21	289	17	-1502
34	3020	2	130	51	43	275,28	297	17	-1577
35	3020	2	130	51	43	283,36	305	17	-1643
36	3020	2	130	51	43	291,44	313	17	-1718
37	3020	2	130	51	43	299,51	322	17	-1783
38	3020	2	130	51	43	307,59	330	17	-1858
40	3020	2	130	51	43	323,75	346	17	-1924
42	3020	2	130	51	43	339,90	362	17	-1999
45	3020	2	130	51	43	364,13	386	17	-2062
46	3020	2	130	51	43	372,21	394	17	-2138
48	3020	2	130	51	43	388,36	410	17	-2203
50	3020	2	130	51	43	404,52	427	17	-2278
54	3020	2	130	51	43	436,85	459	17	-2344
57	3020	2	130	51	43	461,07	483	17	-2419
60	3020	2	130	51	43	485,32	507	17	-2484
65	3020	2	130	51	43	525,73	548	17	-2559
70	3020	2	130	51	43	566,14	588	17	-2625
76	3020	2	130	51	43	614,65	637	17	-2690
95	3020	2	130	51	43	768,22	790	17	-2765
114	3020	2	130	51	43	921,81	944	17	-2831

Duplex

Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3055
13	1615	3	-	38	23,8	106,12	128	17	-3326
14	1615	3	-	38	23,8	114,15	136	17	-3391
15	2012	3	-	32	23,8	122,17	144	17	-3466
16	2012	3	-	32	23,8	130,20	152	17	-3532
17	2517	3	-	45	23,8	138,22	160	17	-3607
18	2517	3	-	45	23,8	146,28	168	17	-3672
19	2517	3	-	45	23,8	154,33	176	17	-3748
20	2517	3	-	45	23,8	162,38	184	17	-3813
21	3020	4	130	51	27,2	170,43	192	17	-3888
22	3020	5	130	51	27,2	178,48	200	17	-3953
23	3020	5	130	51	27,2	186,53	209	17	-4027
24	3020	5	130	51	27,2	194,59	217	17	-4092
25	3020	5	130	51	27,2	202,66	225	17	-4167
26	3020	5	130	51	27,2	210,72	233	17	-4233
27	3020	5	130	51	27,2	218,79	241	17	-4308
28	3020	5	130	51	27,2	226,85	249	17	-4373
29	3020	5	130	51	27,2	234,92	257	17	-4449
30	3030	5	130	76	52,2	243,00	265	17	-4514
31	3030	5	130	76	52,2	251,08	273	17	-4589
32	3030	5	130	76	52,2	259,13	281	17	-4654
33	3030	5	130	76	52,2	267,21	289	17	-4720
34	3030	5	130	76	52,2	275,28	297	17	-4795
35	3030	5	130	76	52,2	283,36	305	17	-4860
36	3030	5	130	76	52,2	291,44	313	17	-4936

Fortsättning nästa sida.

Kedjehjul För klämbussningar 16B 1"




Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3055
37	3030	5	130	76	52,2	299,51	322	17	-5008
38	3030	5	130	76	52,2	307,59	330	17	-5073
40	3030	5	130	76	52,2	323,75	346	17	-5149
42	3030	5	130	76	52,2	339,90	362	17	-5214
45	3030	5	130	76	52,2	364,13	386	17	-5289
46	3030	5	130	76	52,2	372,21	394	17	-5354
48	3030	5	130	76	52,2	388,36	410	17	-5420
50	3030	5	130	76	52,2	404,52	427	17	-5495
54	3030	5	130	76	52,2	436,85	459	17	-5560
57	3535	5	160	89	65,2	461,07	483	17	-5636
60	3535	5	160	89	65,2	485,32	507	17	-5701
65	3535	5	160	89	65,2	525,73	548	17	-5776
70	3535	5	160	89	65,2	566,14	588	17	-5842
76	3535	5	160	89	65,2	614,65	637	17	-5917
95	3535	5	160	89	65,2	768,22	790	17	-5982
114	3535	5	160	89	65,2	921,81	944	17	-6055

Triplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3055
13	1615	9	-	38	39,8	106,12	128	17	-6477
14	1615	9	-	38	39,8	114,15	136	17	-6543
15	1615	9	-	38	39,8	122,17	144	17	-6618
16	2517	9	-	45	39,8	130,20	152	17	-6683
17	2517	9	-	45	39,8	138,22	160	17	-6758
18	2517	9	-	45	39,8	146,28	168	17	-6824
19	3030	9	-	76	39,8	154,33	176	17	-6899
20	3030	9	-	76	39,8	162,38	184	17	-6964
21	3030	6	130	76	39,8	170,43	192	17	-7038
22	3030	6	130	76	39,8	178,48	200	17	-7103
23	3535	7	160	89	39,8	186,53	209	17	-7178
24	3535	7	160	89	39,8	194,59	217	17	-7244
25	3535	7	160	89	39,8	202,66	225	17	-7319
26	3535	8	160	89	39,8	210,72	233	17	-7384
27	3535	8	160	89	39,8	218,79	241	17	-7459
28	3535	8	160	89	39,8	226,85	249	17	-7525
29	3535	8	160	89	39,8	234,92	257	17	-7590
30	3535	8	160	89	39,8	243,00	265	17	-7665
31	3535	8	160	89	39,8	251,08	273	17	-7731
32	3535	8	160	89	39,8	259,13	281	17	-7806
33	3535	8	160	89	39,8	267,21	289	17	-7871
34	3535	8	160	89	39,8	275,28	297	17	-7947
35	3535	8	160	89	39,8	283,36	305	17	-8010
36	3535	8	160	89	39,8	291,44	313	17	-8085
37	3535	8	160	89	39,8	299,51	322	17	-8150
38	3535	8	160	89	39,8	307,59	330	17	-8226
40	3535	8	160	89	39,8	323,75	346	17	-8291
42	3535	8	160	89	39,8	339,90	362	17	-8366
45	4040	8	200	102	39,8	364,13	386	17	-8432
46	4040	8	200	102	39,8	372,21	394	17	-8507
48	4040	8	200	102	39,8	388,36	410	17	-8572
50	4040	8	200	102	39,8	404,52	427	17	-8648
54	4040	8	200	102	39,8	436,85	459	17	-8713
57	4040	8	200	102	39,8	461,07	483	17	-8788
60	4040	8	200	102	39,8	485,32	507	17	-8853
65	4040	8	200	102	39,8	525,73	548	17	-8929
70	4040	8	200	102	39,8	566,14	588	17	-8994
76	4040	8	200	102	39,8	614,65	637	17	-9067
95	4040	8	200	102	39,8	768,22	790	17	-9133
114	4040	8	200	102	39,8	921,81	944	17	-9208

Kedjetransmissioner


Kedjehjul För klämbussningar 20B 1 1/4"




Figur 1 och 2




Figur 3



Figur 4 och 5



Figur 7 och 8



Figur 9

20B 1 1/4"

Simplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3056
13	2012	1	90	32	23	132,65	160	20	-0107
14	2012	1	100	32	23	142,68	170	20	-0180
15	2517	1	110	45	35	152,72	180	20	-0263
16	2517	1	110	45	35	162,75	190	20	-0347
17	2517	1	110	45	35	172,78	200	20	-0420
18	2517	1	110	45	35	182,85	210	20	-0503
19	2517	1	110	45	35	192,91	220	20	-0586
20	2517	1	115	45	35	202,98	230	20	-0669
21	2517	1	115	45	35	213,04	240	20	-0743
22	3020	2	130	51	42	223,11	250	20	-0826
23	3020	2	130	51	42	233,17	260	20	-0909
24	3020	2	130	51	42	243,23	270	20	-0982
25	3020	2	130	51	42	253,33	280	20	-1063
26	3020	2	130	51	42	263,40	290	20	-1147
27	3020	2	130	51	42	273,49	300	20	-1220
28	3020	2	130	51	42	283,56	311	20	-1303
29	3020	2	130	51	42	293,65	321	20	-1386
30	3020	2	130	51	42	303,75	331	20	-1469
31	3020	2	130	51	42	313,85	341	20	-1543
32	3020	2	130	51	42	323,91	351	20	-1626
33	3020	2	130	51	42	334,01	361	20	-1709
34	3020	2	130	51	42	344,10	371	20	-1782
35	3020	2	130	51	42	354,20	381	20	-1865
36	3020	2	130	51	42	364,30	391	20	-1949
37	3020	2	130	51	42	374,39	401	20	-2020
38	3020	2	130	51	42	384,49	411	20	-2103
40	3020	2	130	51	42	404,68	432	20	-2186
42	3020	2	130	51	42	424,88	452	20	-2269
45	3020	2	130	51	42	455,17	482	20	-2343
46	3020	2	130	51	42	465,26	492	20	-2426
48	3020	2	130	51	42	485,46	512	20	-2509
50	3020	2	130	51	42	505,65	533	20	-2582
54	3020	2	130	51	42	546,07	573	20	-2665
57	3020	2	130	51	42	576,36	603	20	-2749
60	3020	2	130	51	42	606,65	634	20	-2822
65	3020	2	130	51	42	657,16	684	20	-2905
70	3020	2	130	51	42	707,67	735	20	-2988
76	3020	2	130	51	42	768,32	795	20	-3069
95	3020	2	130	51	42	960,28	987	20	-3143
114	3020	2	130	51	42	1152,26	1179	20	-3226

Duplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3056
13	2012	3	-	32	27,3	132,65	160	20	-3309
14	2012	3	-	32	27,3	142,68	170	20	-3382
15	3020	4	110	64	36,7	152,72	180	20	-3465
16	3020	4	110	64	36,7	162,75	190	20	-3549
17	3020	4	110	64	36,7	172,78	200	20	-3622
18	3020	5	110	64	36,7	182,85	210	20	-3705
19	3030	5	130	76	48,7	192,91	220	20	-3788
20	3030	5	130	76	48,7	202,98	230	20	-3861
21	3030	5	130	76	48,7	213,04	240	20	-3945
22	3030	5	130	76	48,7	223,11	250	20	-4026
23	3030	5	130	76	48,7	233,17	260	20	-4109
24	3030	5	130	76	48,7	243,23	270	20	-4182
25	3030	5	130	76	48,7	253,33	280	20	-4265
26	3030	5	130	76	48,7	263,40	290	20	-4349
27	3030	5	130	76	48,7	273,49	300	20	-4422
28	3030	5	130	76	48,7	283,56	311	20	-4505
29	3030	5	130	76	48,7	293,65	321	20	-4588
30	3030	5	130	76	48,7	303,75	331	20	-4661
31	3030	5	130	76	48,7	313,85	341	20	-4745
32	3030	5	130	76	48,7	323,91	351	20	-4828
33	3030	5	130	76	48,7	334,01	361	20	-4901
34	3030	5	130	76	48,7	344,10	371	20	-4984
35	3030	5	130	76	48,7	354,20	381	20	-5064
36	3030	5	130	76	48,7	364,30	391	20	-5148

Fortsättning nästa sida.


Kedjehjul För klämbussningar 20B 1 1/4"




Figur 1 och 2




Figur 3



Figur 4 och 5



Figur 7 och 8



Figur 9

Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3056
37	3030	5	130	76	48,7	374,39	401	20	-5221
38	3535	5	160	89	61,7	384,49	411	20	-5304
40	3535	5	160	89	61,7	404,68	432	20	-5387
42	3535	5	160	89	61,7	424,88	452	20	-5460
45	4040	5	200	102	74,7	455,17	482	20	-5544
46	4040	5	200	102	74,7	465,26	492	20	-5627
48	4040	5	200	102	74,7	485,46	512	20	-5700
50	4040	5	200	102	74,7	505,65	533	20	-5783
54	4040	5	200	102	74,7	546,07	573	20	-5866
57	4040	5	200	102	74,7	576,36	603	20	-5940
60	4040	5	200	102	74,7	606,65	634	20	-6021
65	4040	5	200	102	74,7	657,16	684	20	-6104
70	4040	5	200	102	74,7	707,67	735	20	-6187
76	4040	5	200	102	74,7	768,32	795	20	-6260
95	4040	5	200	102	74,7	960,28	987	20	-6344
114	4040	5	200	102	74,7	1152,26	1179	20	-6427

Triplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3056
13	2525	9	-	64	45,5	132,65	160	20	-6500
14	2525	9	-	64	45,5	142,68	170	20	-6583
15	3030	9	-	76	45,5	152,72	180	20	-6666
16	3030	9	-	76	45,5	162,75	190	20	-6740
17	3030	9	-	76	45,5	172,78	200	20	-6823
18	3535	9	-	89	45,5	182,85	210	20	-6906
19	3535	9	-	89	45,5	192,91	220	20	-6989
20	3535	9	-	89	45,5	202,98	230	20	-7060
21	3535	9	-	89	45,5	213,04	240	20	-7144
22	3535	9	-	89	45,5	223,11	250	20	-7227
23	3535	9	-	89	45,5	233,17	260	20	-7300
24	3535	9	-	89	45,5	243,23	270	20	-7383
25	3535	9	-	89	45,5	253,33	280	20	-7466
26	3535	9	-	89	45,5	263,40	290	20	-7540
27	3535	9	-	89	45,5	273,49	300	20	-7623
28	3535	9	-	89	45,5	283,56	311	20	-7706
29	3535	9	-	89	45,5	293,65	321	20	-7789
30	4040	8	200	102	45,5	303,75	331	20	-7862
31	4040	8	200	102	45,5	313,85	341	20	-7946
32	4040	8	200	102	45,5	323,91	351	20	-8027
33	4040	8	200	102	45,5	334,01	361	20	-8100
34	4040	8	200	102	45,5	344,10	371	20	-8183
35	4040	8	200	102	45,5	354,20	381	20	-8266
36	4040	8	200	102	45,5	364,30	391	20	-8340
37	4040	8	200	102	45,5	374,39	401	20	-8423
38	4545	8	250	115	45,5	384,49	411	20	-8506
40	4545	8	250	115	45,5	404,68	432	20	-8589
42	4545	8	250	115	45,5	424,88	452	20	-8662
45	4545	8	250	115	45,5	455,17	482	20	-8746
46	5050	8	280	127	45,5	465,26	492	20	-8829
48	5050	8	280	127	45,5	485,46	512	20	-8902
50	5050	8	280	127	45,5	505,65	533	20	-8985
54	5050	8	280	127	45,5	546,07	573	20	-9066
57	5050	8	280	127	45,5	576,36	603	20	-9140
60	5050	8	280	127	45,5	606,65	634	20	-9223
65	5050	8	280	127	45,5	657,16	684	20	-9306
70	5050	8	280	127	45,5	707,67	735	20	-9389
76	5050	8	280	127	45,5	768,32	795	20	-9462
95	5050	8	280	127	45,5	960,28	987	20	-9546
114	5050	8	280	127	45,5	1152,26	1179	20	-9629

Kedjetransmissioner


Kedjehjul

För klämbussningar


24B 1 1/2"




Figur 1 och 2




Figur 3



Figur 4 och 5



Figur 6



Figur 7 och 8

24B 1 1/2"

Simplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3057
13	2517	1	110	45	32	159,18	193	27	-0106
14	2517	1	110	45	32	171,22	205	27	-0189
15	3020	1	130	51	39	183,26	217	27	-0262
16	3020	2	130	51	39	195,30	229	27	-0346
17	3535	1	160	89	77	207,34	241	27	-0429
18	3535	2	160	89	77	219,42	253	27	-0502
19	3535	2	160	89	77	231,49	265	27	-0585
20	3535	2	160	89	77	243,57	278	27	-0668
21	3535	2	160	89	77	255,65	290	27	-0742
22	3535	2	160	89	77	267,73	302	27	-0825
23	3535	2	160	89	77	279,80	314	27	-0908
24	3535	2	160	89	77	291,88	326	27	-0981
25	3535	2	160	89	77	304,00	338	27	-1062
26	3535	2	160	89	77	316,08	350	27	-1146
27	3535	2	160	89	77	328,19	362	27	-1229
28	3535	2	160	89	77	340,27	374	27	-1302
29	3535	2	160	89	77	352,38	386	27	-1385
30	3535	2	160	89	77	364,50	399	27	-1468
31	3535	2	160	89	77	376,62	411	27	-1542
32	3535	2	160	89	77	388,69	423	27	-1625
33	3535	2	160	89	77	400,81	435	27	-1708
34	3535	2	160	89	77	412,93	447	27	-1781
35	3535	2	160	89	77	425,04	459	27	-1864
36	3535	2	160	89	77	437,16	471	27	-1948
37	3535	2	160	89	77	449,27	483	27	-2029
38	4040	2	200	102	90	461,39	495	27	-2102
40	4040	2	200	102	90	485,62	520	27	-2185
42	4040	2	200	102	90	509,85	544	27	-2268
45	4040	2	200	102	90	546,20	580	27	-2342
46	4040	2	200	102	90	558,32	592	27	-2425
48	4040	2	200	102	90	582,55	617	27	-2508
50	4040	2	200	102	90	606,78	641	27	-2581
54	4545	2	230	115	103	655,28	689	27	-2664
57	4545	2	230	115	103	691,63	726	27	-2748
60	4545	2	230	115	103	727,97	762	27	-2821
65	4545	2	230	115	103	788,59	823	27	-2904
70	4545	2	230	115	103	849,21	883	27	-2987
76	4545	2	230	115	103	921,98	956	27	-3068
95	4545	2	230	115	103	1152,33	1186	27	-3142

Duplex


Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3057
13	2517	3	-	45	36	159,18	193	27	-3225
14	2517	3	-	45	36	171,22	205	27	-3308
15	3020	3	-	51	36	183,26	217	27	-3381
16	3020	3	-	51	36	195,30	229	27	-3464
17	3535	4	160	89	53	207,34	241	27	-3548
18	3535	5	160	89	53	219,42	253	27	-3621
19	3535	5	160	89	53	231,49	265	27	-3704
20	3535	5	160	89	53	243,57	278	27	-3787
21	3535	5	160	89	53	255,65	290	27	-3860
22	3535	5	160	89	53	267,73	302	27	-3944
23	3535	5	160	89	53	279,80	314	27	-4025
24	3535	5	160	89	53	291,88	326	27	-4108
25	4040	5	200	102	66	304,00	338	27	-4181
26	4040	5	200	102	66	316,08	350	27	-4264
27	4040	5	200	102	66	328,19	362	27	-4348
28	4040	5	200	102	66	340,27	374	27	-4421
29	4040	5	200	102	66	352,38	386	27	-4504
30	4040	5	200	102	66	364,50	399	27	-4587
31	4040	5	200	102	66	376,62	411	27	-4660
32	4040	5	200	102	66	388,69	423	27	-4744
33	4040	5	200	102	66	400,81	435	27	-4827
34	4040	5	200	102	66	412,93	447	27	-4900
35	4040	5	200	102	66	425,04	459	27	-4983
36	4040	5	200	102	66	437,16	471	27	-5063
37	4040	5	200	102	66	449,27	483	27	-5147

Fortsättning nästa sida.


Kedjehjul För klämbussningar 24B 1 1/2"




Figur 1 och 2




Figur 3



Figur 4 och 5



Figur 6



Figur 7 och 8

Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3057
38	4545	5	230	115	79	461,39	495	27	-5220
40	4545	5	230	115	79	485,62	520	27	-5303
42	4545	5	230	115	79	509,85	544	27	-5386
45	4545	5	230	115	79	546,20	580	27	-5469
46	4545	5	230	115	79	558,32	592	27	-5543
48	4545	5	230	115	79	582,55	617	27	-5626
50	4545	5	230	115	79	606,78	641	27	-5709
54	5050	5	250	127	91	655,28	689	27	-5782
57	5050	5	250	127	91	691,63	726	27	-5865
60	5050	5	250	127	91	727,97	762	27	-5949
65	5050	5	250	127	91	788,59	823	27	-6020
70	5050	5	250	127	91	849,21	883	27	-6103
76	5050	5	250	127	91	921,98	956	27	-6186
95	5050	5	250	127	91	1152,33	1186	27	-6269

Triplex

Tandantal Z	Buss- ning	Fig.	DN min mm	L mm	C mm	Dp mm	E mm	t mm	Best nr 3057
13	2525	6	110	64	60	159,18	193	27	-6343
14	2525	6	110	64	60	171,22	205	27	-6426
15	3030	6	130	76	60	183,26	217	27	-6509
16	3030	6	130	76	60	195,30	229	27	-6582
17	3535	6	160	89	60	207,34	241	27	-6665
18	3535	6	160	89	60	219,42	253	27	-6749
19	3535	6	160	89	60	231,49	265	27	-6822
20	3535	6	160	89	60	243,57	278	27	-6905
21	3535	6	160	89	60	255,65	290	27	-6988
22	3535	6	160	89	60	267,73	302	27	-7069
23	4040	6	200	102	60	279,80	314	27	-7143
24	4040	6	200	102	60	291,88	326	27	-7226
25	4040	6	200	102	60	304,00	338	27	-7309
26	4040	6	200	102	60	316,08	350	27	-7382
27	4040	6	200	102	60	328,19	362	27	-7465
28	4040	6	200	102	60	340,27	374	27	-7549
29	4040	6	200	102	60	352,38	386	27	-7622
30	4545	6	230	115	60	364,50	399	27	-7705
31	4545	6	230	115	60	376,62	411	27	-7788
32	4545	6	230	115	60	388,69	423	27	-7861
33	4545	6	230	115	60	400,81	435	27	-7945
34	4545	6	230	115	60	412,93	447	27	-8026
35	4545	6	230	115	60	425,04	459	27	-8109
36	4545	6	230	115	60	437,16	471	27	-8182
37	4545	6	230	115	60	449,27	483	27	-8265
38	4545	6	230	115	60	461,39	495	27	-8349
40	5050	8	280	127	60	485,62	520	27	-8422
42	5050	8	280	127	60	509,85	544	27	-8505
45	5050	8	280	127	60	546,20	580	27	-8588
46	5050	8	280	127	60	558,32	592	27	-8661
48	5050	8	280	127	60	582,55	617	27	-8745
50	5050	8	280	127	60	606,78	641	27	-8828
54	5050	8	280	127	60	655,28	689	27	-8901
57	5050	8	280	127	60	691,63	726	27	-8984
60	5050	8	280	127	60	727,97	762	27	-9065
65	5050	8	280	127	60	788,59	823	27	-9149
70	5050	8	280	127	60	849,21	883	27	-9222
76	5050	8	280	127	60	921,98	956	27	-9305
95	5050	8	280	127	60	1152,33	1186	27	-9388


Kedjetransmissioner

Kedjehjul

Tandspetshärdade kedjehjul

Härdade tänder

RENOLD



"Renold". Härdade tänder. För minimalt tandslitage. Max. axelhål = Dn x 0,6 med kilspår SMS 2305.

Simplex 06B 3/8 "							Simplex 06B 3/8 "						
Z	DØ	Dn	L	Dp	E	Best nr 0720	Z	DØ	Dn	L	Dp	E	Best nr 0720
8	6	15	22	24,89	35	-0109	17	10	40	28	51,83	61	-0661
9	8	18	22	27,85	37		18	10	43	28	54,85	64	-0745
10	8	20	22	30,82	40		19	10	45	28	57,87	67	-9639
11	8	22	25	33,80	43	-0182	20	10	46	28	60,89	70	-0828
12	8	25	25	36,80	46	-0265	21	10	48	28	63,91	73	-0901
13	10	28	25	39,79	49	-0349	22	10	50	28	66,93	76	
14	10	31	25	42,80	52	-0422	23	12	52	28	69,95	79	-0984
15	10	34	25	45,81	55	-0505	24	12	54	28	72,97	82	
16	10	37	28	48,82	58	-0588	25	12	57	28	76,00	85	-1065

Simplex 08B 1/2 "							Simplex 08B 1/2 "						
Z	DØ	Dn	L	Dp	E	Best nr 0720	Z	DØ	Dn	L	Dp	E	Best nr 0720
8	10	18	25	33,18	45		17	12	52	28	69,11	81	-2022
9	10	22	25	37,13	49	-1388	18	12	56	28	73,14	85	-2105
10	10	26	25	41,10	53	-1461	19	12	60	28	77,16	89	-9670
11	10	29	25	45,07	57	-1545	20	12	64	28	81,19	94	-2188
12	10	33	28	49,07	61	-1628	21	14	68	28	85,22	98	-2261
13	10	37	28	53,06	65	-1701	22	14	70	28	89,24	102	-2345
14	10	41	28	57,07	69	-1784	23	14	70	28	93,27	106	-2428
15	10	45	28	61,09	73	-1867	24	14	70	28	97,29	110	-2501
16	12	50	28	65,10	77	-1941	25	14	70	28	101,33	114	-2584

Simplex 10B 5/8 "							Simplex 10B 5/8 "						
Z	DØ	Dn	L	Dp	E	Best nr 0720	Z	DØ	Dn	L	Dp	E	Best nr 0720
8	10	23	25	41,48	57	-3301	17	14	60	30	86,39	102	-3863
9	10	28	25	46,42	62		18	14	70	30	91,42	107	-3947
10	10	33	25	51,37	67	-3384	19	14	70	30	96,45	112	-9712
11	12	37	28	56,34	72	-3467	20	14	75	30	101,49	117	-4028
12	12	42	28	61,34	77	-3541	21	16	75	30	106,52	122	-4101
13	12	47	28	66,32	82	-3624	22	12	83	30	111,55	127	-4184
14	12	52	28	71,34	87	-3707	23	12	83	30	116,58	132	-4267
15	12	57	28	76,36	92	-3780	24	12	83	30	121,62	137	-4341
16	14	60	30	81,37	97		25	16	83	30	126,66	142	-4424

Simplex 12B 3/4 "							Simplex 12B 3/4 "						
Z	DØ	Dn	L	Dp	E	Best nr 0720	Z	DØ	Dn	L	Dp	E	Best nr 0720
8	12	29	30	49,78	66		17	16	80	35	103,67	120	-5389
9	12	35	30	55,70	72		18	16	80	35	109,71	126	-5462
10	12	42	30	61,64	78	-4820	19	16	80	35	115,75	132	-9753
11	14	46	35	67,61	84	-4903	20	16	80	35	121,78	138	-5546
12	14	52	35	73,61	90	-4986	21	16	93	40	127,82	144	-5629
13	14	58	35	79,59	96	-5066	22	16	93	40	133,86	151	-5702
14	14	64	35	85,61	102	-5140	23	16	93	40	139,90	157	-5785
15	14	70	35	91,63	108	-5223	24	16	93	40	145,94	163	-5868
16	16	75	35	97,65	114	-5306	25	16	93	40	152,00	169	-5942

Simplex 16B 1 "							Simplex 16B 1 "						
Z	DØ	Dn	L	Dp	E	Best nr 0720	Z	DØ	Dn	L	Dp	E	Best nr 0720
8	16	42	35	66,37	88		17	20	100	45	138,22	160	-7062
9	16	50	35	74,27	96	-6429	18	20	100	45	146,28	168	-7146
10	16	55	35	82,19	104	-6502	19	20	100	45	154,33	176	-9795
11	16	61	40	90,14	112	-6585	20	20	125	45	162,38	184	-7229
12	16	69	40	98,14	120	-6668	21	20	125	50	170,43	192	-7302
13	16	78	40	106,12	128	-6742	22	20	125	50	178,48	200	-7385
14	16	84	40	114,15	136	-6825	23	20	125	50	186,53	208	-7468
15	16	92	40	122,17	144	-6908	24	20	125	50	194,59	216	-7542
16	20	100	45	130,20	152	-6981	25	20	125	50	202,66	224	-9910